

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O Box 1450 Alexandria, Virginia 22313-1450 www.upub.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/683,691	10/10/2003	Carsten Mickeleit	101215-153	9933	
27387 7590 08/17/2009 NORRIS, MCLAUGHLIN & MARCUS, P.A. 875 THIRD AVE 18TH FLOOR NEW YORK, NY 10022				EXAMINER  LAI, MICHAEL C	
			ART UNIT	PAPER NUMBER	
			MAIL DATE 08/17/2009	DELIVERY MODE PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	IS SET TO EXPIRE 3 MONTH(	S) OR THIRTY (30) DAYS,			
The MAILING DATE of this communication appe Period for Reply	Examiner  MICHAEL C. LAI  ars on the cover sheet with the c  IS SET TO EXPIRE 3 MONTH( TE OF THIS COMMUNICATION	Art Unit 2457 orrespondence address S) OR THIRTY (30) DAYS,			
The MAILING DATE of this communication appe Period for Reply	MICHAEL C. LAI ars on the cover sheet with the c IS SET TO EXPIRE 3 MONTH( TE OF THIS COMMUNICATION	2457 orrespondence address S) OR THIRTY (30) DAYS,			
The MAILING DATE of this communication appe Period for Reply	ars on the cover sheet with the countries on the cover sheet with the countries on the countries of the cou	orrespondence address S) OR THIRTY (30) DAYS,			
Period for Reply	IS SET TO EXPIRE 3 MONTH(	S) OR THIRTY (30) DAYS,			
A SHORTENED STATUTORY PERIOD FOR REPLY	TE OF THIS COMMUNICATION				
WHICHEVER IS LONGER, FROM THE MAILING DA'  - Extensions of time may be available under the provisions of 37 CFR 1.136 after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period will - Failure to reply with the set or extended period for reply will, by statute, c Any reply received by the Office later than three months after the mailing of earned patent term adjustment. See 37 CFR 1.74(D).	ause the application to become ABANDONEI	the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
1)⊠ Responsive to communication(s) filed on 22 Apr	ril 2009.				
	action is non-final.				
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims					
4) Claim(s) See Continuation Sheet is/are pending 4a) Of the above claim(s) is/are withdrawn 5) Claim(s) is/are allowed. 6) Claim(s) 17-19.21.23.24.31.33.35-39.41.43.44.5 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or or	n from consideration. 51,53,55-65,67,69-73,75,77 and	<u>78</u> is/are rejected.			
Application Papers					
9) The specification is objected to by the Examiner.					
10)☐ The drawing(s) filed on is/are: a)☐ accep	·- ·				
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).  11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119					
12) ☐ Acknowledgment is made of a claim for foreign p a) ☐ All b) ☐ Some * c) ☐ None of:  1. ☐ Certified copies of the priority documents 2. ☐ Certified copies of the priority documents 3. ☐ Copies of the certified copies of the priorit application from the International Bureau of the See the attached detailed Office action for a list of	have been received. have been received in Applicating documents have been receives (PCT Rule 17.2(a)).	on No ed in this National Stage			
Attachment(s)  1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) ☐ Interview Summary Paper No(s)/Mail De 5) ☐ Notice of Informal P 6) ☐ Other:	ite			

U.S. Patent and Trademark Office PTOL-326 (Rev. 08-06) Continuation of Disposition of Claims: Claims pending in the application are 17-19,21,23,24,31,33,35-39,41,43,44,51,53,55-65,67,69-73,75,77 and 78.

Art Unit: 2457

## DETAILED ACTION

This office action is responsive to amendment filed on 4/22/2009.

## Response to Amendment

The examiner has acknowledged the amended claims 17, 21, 31, 33, 37, 41, 51, 53, 59- 63, 67, 71, 75, cancelled claims 20, 22, 32, 34, 40, 42, 52, 54, 66, 68, 74 and 76. The claim objection to claim 59 has been corrected and withdrawn accordingly. The 101 rejection to claims 37-44, 51-56, 61-62, 71-78 has been corrected and withdrawn accordingly. Claims 17-19, 21, 23-24, 31, 33, 35-39, 41, 43, 44, 51, 53, 55-65, 67, 69-73, 75, and 77-78 are pending.

## Response to Arguments

Applicant's arguments filed 4/22/2009 have been fully considered but they are not persuasive.

In the remarks, the applicant argues in substance that: A) Larsson does not disclose transmitting a print file to a storage location in the network. B) Larsson's embedded print files do not disclose a hypertext page containing the print file resulting from the print job for recall on a location in a communication network. C) Larsson fails to disclose a step of starting (claim 17) and means for starting (claim 37) a print job for issuing the data or the file, wherein the print job is based on requirements of the end device, and embedding a print file resulting from the print job in a hypertext page and a step of providing (claim 17) and a means for providing (claim 3 7) the hypertext page containing the print file resulting from the print job for recall on a location in the communication network and transmitting to the end device information necessary for

Art Unit: 2457

accessing the provided hypertext page at the location in the communication network as required by claims 17 and 37. D) Larsson does not disclose a step of converting (claim 31) and means for converting (claim 51) the data or files intended for output into a hypertext format based on requirements of the end device and a step of providing (claim 31) and means for providing (claim 51) the converted data or files for recall on a location in the communication network and transmitting to the end device information necessary for accessing the converted data at the location in the communication network as recited in claims 31 and 51.

In response to A) it is noted that the features upon which applicant relies (i.e., transmitting a print file to a storage location in the network) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

In response to B) Larsson refers to communication of the service technician with a web server in the internet to select a WAP page presented on a display of the service technician's telephone to be printed out (see col. 10, line 49 - col. 11, line 39 of Larsson). Subsequently, after the selected print request is sent to the print service device, whereby the print request comprises a document address, **given by the selected link** (see col. 11, lines 35 to 39 of Larsson). Larsson clearly discloses a hypertext page containing the print file resulting from the print job for recall on a location in a communication network.

In response to C) Larsson discloses a WAP-enabled cellular telephone (end device) for browsing/displaying print files. Note that WAP uses a cut-down version of XHTML with end-to-end HTTP. Larsson clearly discloses the print job is based on requirements of the end device (cut-down version of XHTML).

In response to D) Larsson discloses the steps of "find conversion means 610" and "convert document to print file 612" (see Figure 9 and col. 11, lines 40-61), and discloses a WAP-enabled cellular telephone (end device) for browsing/displaying print files. Note that WAP uses a cut-down version of XHTML with end-to-end HTTP. Larsson clearly meets the limitation of "a step of converting (claim 31) and means for converting (claim 51) the data or files intended for output into a hypertext format based on requirements of the end device and a step of providing (claim 31) and means for providing (claim 51) the converted data or files for recall on a location in the communication network and transmitting to the end device information necessary for accessing the converted data at the location in the communication network".

Thus, in view of such, the rejection is sustained as follows:

# Claim Objections

Claims 19 and 39 are objected to as being reciting no longer existing step (d)(ii).
 Appropriate correction is required.

#### Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

Art Unit: 2457

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

- 3. Claims 17-19, 21, 23, 31, 33, 35, 37-39, 41, 43, 51, 53, 55, 57-58, 63-65, 67, 69, 71-73, 75, and 77 are rejected under 35 U.S.C. 102(e) as being anticipated by Larsson et al. (US 7,028,102 B1, hereinafter referred to as Larsson).
- 4. Regarding claim 17, Larsson discloses a method for providing print data in communication networks [FIGs. 5 and 6], comprising the steps of:
- (a) transmitting from an end device to a data processing unit at least information necessary for accessing data or a file intended for printing, wherein the data processing unit is controlled by a computer program, wherein the end device is a mobile device [14 FIG. 6, col. 9, lines 52-56; 210 print service device FIG. 5, col. 8 line 57 through col. 9 line 2],
- (b) opening the data or the file intended for output at its storage location [col. 9, lines 3-8],
- (c) starting a print job for issuing the data or the file, wherein the print job is based on requirements of the end device, and embedding a print file resulting from the print job in a hypertext page [col. 9, lines 8-51, the print file could be sent to an IP address of the communication device; col. 10 line 49 through col. 11 line 39, "a print request comprising a document address, given by the selected link" implies an embedded print file. Note that WAP uses a cut-down version of XHTML with end-to-end HTTP. This implies the print file is in a hypertext pagel, and

Art Unit: 2457

(d) providing the hypertext page containing the print file <u>resulting from the print</u> <u>job</u> for recall on a location in the communication network and transmitting to the end device information necessary for accessing the provided hypertext page <u>at the location</u> in the communication network [col. 10 line 59 through col. 11 line 7, WAP-page].

- 5. Regarding claim 18, Larsson further discloses wherein the hypertext page is a HTML or WML page [col. 10 line 49 through col. 11 line 39, Note that WAP uses a cutdown version of XHTML with end-to-end HTTP.].
- 6. Regarding claim 19. Larsson further discloses the step of:
- (e) recalling and issuing the hypertext page by the end device, or manually requesting the hypertext page [abstract, accessing information on the internet].
- 7. Regarding claim 21, Larsson further discloses wherein the mobile device is mobile telephone, handheld computer, laptop or pocket PC [FIG. 1].
- 8. Regarding claim 23, Larsson further discloses wherein in step (a), the transmitting takes place via a dialup connection or the Internet [abstract, accessing information on the internet].
- 9. Regarding claim 31, Larsson discloses a method for output data or an output file in communication networks [FIGs. 5, 6], comprising the steps of:
- (a) transmitting from an end device to a data processing unit at least information necessary for accessing data or a file intended for printing, wherein the data processing unit is controlled by a computer program, wherein the end device is a mobile device [14 FIG. 6, col. 9, lines 52-56; 210 print service device FIG. 5, col. 8 line 57 through col. 9 line 2],

Art Unit: 2457

(b) opening the data or the file intended for output at its storage location [col. 9, lines 3-8],

- (c) converting the data or files intended for output into a hypertext format <u>based</u> on requirements of the end <u>device</u> [col. 9, lines 13-61, WAP-standard], and
- (d) providing the converted data or files for recall on a location in the communication network and transmitting to the end device information necessary for accessing the converted data at the location in the communication network [col. 9, lines 8-51, the print file could be sent to an IP address of the communication device; col. 10 line 49 through col. 11 line 61, "a print request comprising a document address, given by the selected link" implies an embedded print file and stored for recall on a location; steps of "find conversion means 610" and "convert document to print file 612. Note that WAP uses a cut-down version of XHTML with end-to-end HTTP. This implies the print file is in a hypertext page].
- 10. Regarding claim 33, Larsson further discloses wherein the mobile device is mobile telephone, handheld computer, laptop or pocket PC [FIG. 1].
- 11. Regarding claim 35, Larsson further discloses wherein in step (a), the transmitting takes place via a dialup connection or the Internet [abstract, accessing information on the internet].
- 12. Regarding claim 37, Larsson discloses computer <u>program product</u> for providing print data in communication networks, <u>the computer program product comprising a computer readable storage medium having a computer readable program embodied <u>therein</u>, the computer readable program comprising:</u>

Art Unit: 2457

(a) means for transmitting from an end device to a data processing unit at least information necessary for accessing data or a file intended for printing, wherein the data processing unit is controlled by a computer program, wherein the end device is a mobile device [14 FIG. 6, col. 9, lines 52-56; 210 print service device FIG. 5, col. 8 line 57 through col. 9 line 2],

- (b) means for opening the data or the file intended for output at its storage location [col. 9, lines 3-8],
- (c) means for starting a print job for issuing the data or the file, wherein the print job is based on requirements of the end device, and means for embedding the print file resulting from the print job in a hypertext page [col. 9, lines 8-51, the print file could be sent to an IP address of the communication device; col. 10 line 49 through col. 11 line 39, "a print request comprising a document address, given by the selected link" implies an embedded print file. Note that WAP uses a cut-down version of XHTML with end-to-end HTTP. This implies the print file is in a hypertext page], and
- (d) means for providing the hypertext page containing the print file <u>resulting</u> from the print job for recall on a location in the communication network and transmitting to the end device information necessary for accessing the provided hypertext page <u>at the location in the communication network</u> [col. 10 line 59 through col. 11 line 7, WAP-page].
- 13. Regarding claim 38, Larsson further discloses wherein the hypertext page is a HTML or WML page [col. 10 line 49 through col. 11 line 39, Note that WAP uses a cutdown version of XHTML with end-to-end HTTP.].

Art Unit: 2457

14. Regarding claim 39, Larsson further discloses:

(e) means for recalling and issuing the hypertext page by the end device, or manually requesting the hypertext page [abstract, accessing information on the internet].

- 15. Regarding claim 41, Larsson further discloses wherein the mobile device is a mobile telephone, handheld computer, laptop or pocket PC [FIG. 1].
- 16. Regarding claim 43, Larsson further discloses wherein in (a), the transmitting takes place via a dialup connection or the Internet [abstract, accessing information on the internet].
- 17. Regarding claim 51, Larsson discloses Computer program <u>product</u> for providing output data or an output file in communication networks, <u>the computer program product comprising a computer readable storage medium having a computer readable program embodied therein, the computer readable program comprising:</u>
- (a) means for transmitting from an end device to a data processing unit at least information necessary for accessing data or a file intended for printing, wherein the data processing unit is controlled by a computer program, wherein the end device is a mobile device [14 FIG. 6, col. 9, lines 52-56; 210 print service device FIG. 5, col. 8 line 57 through col. 9 line 2],
- (b) means for opening the data or the file intended for output at its storage location [col. 9, lines 3-8],

Art Unit: 2457

(c) means for converting the data or files intended for output into a hypertext format <u>based on requirements of the end device</u> [col. 9, lines 13-61, WAP-standard], and

- (d) means for providing the converted data or files for recall on a location in the communication network and transmitting to the end device information necessary for accessing the converted data or files at the location in the communication network [col. 9, lines 8-51, the print file could be sent to an IP address of the communication device; col. 10 line 49 through col. 11 line 39, "a print request comprising a document address, given by the selected link" implies an embedded print file and stored for recall on a location. Note that WAP uses a cut-down version of XHTML with end-to-end HTTP. This implies the print file is in a hypertext pagel.
- 18. Regarding claim 53, Larsson further discloses wherein the mobile device is mobile telephone, handheld computer, laptop or pocket PC [FIG. 1].
- 19. Regarding claim 55, Larsson further discloses wherein in step (a), the transmitting takes place via a dialup connection or the Internet [abstract, accessing information on the internet].
- 20. Regarding claim 57, Larsson further discloses wherein the print file is embedded into the hypertext page by writing the data of the print file in the hypertext page [col. 10 line 59 through col. 11 line 7, WAP-page].
- 21. Regarding claim 58, Larsson further discloses wherein the hypertext page is a HTML or WML page [col. 10 line 49 through col. 11 line 39, Note that WAP uses a cut-down version of XHTML with end-to-end HTTP.].

Art Unit: 2457

22. Regarding claim 63, Larsson discloses a method for providing print data in communication networks [FIGs. 5 and 6], comprising the steps of:

- (a) transmitting from an end device to a data processing unit at least information necessary for accessing data or a file intended for printing, wherein the data processing unit is controlled by a computer program, wherein the end device is a mobile device [14 FIG. 6, col. 9, lines 52-56; 210 print service device FIG. 5, col. 8 line 57 through col. 9 line 2],
- (b) opening the data or the file intended for output at its storage location [col. 9, lines 3-8],
- (c) starting a print job for issuing the data or the file, wherein the print job is based on requirements of the end device, and embedding the print file resulting from the print job in a hypertext page by writing the data of the print file in the hypertext page [col. 9, lines 8-51, the print file could be sent to an IP address of the communication device; col. 10 line 49 through col. 11 line 39, "a print request comprising a document address, given by the selected link" implies an embedded print file. Note that WAP uses a cut-down version of XHTML with end-to-end HTTP. This implies the print file is in a hypertext pagel, and
- (d) (i) transmitting the hypertext page containing the print file to the end device[col. 9, lines 43-47, a return address to the cellular telephone],or
- (ii) providing the hypertext page containing the print file for recall on a location in the communication network and transmitting to the end device information

Art Unit: 2457

necessary for accessing the provided hypertext page at the location in the communication network [col. 10 line 59 through col. 11 line 7, WAP-page].

- 23. Regarding claim 64, Larsson further discloses wherein the hypertext page is a HTML or WML page [col. 10 line 49 through col. 11 line 39, Note that WAP uses a cut-down version of XHTML with end-to-end HTTP.].
- 24. Regarding claim 65, Larsson further discloses the step of:
- (e) recalling and issuing the hypertext page by the end device, or manually requesting the hypertext page [abstract, accessing information on the internet].
- 25. Regarding claim 67, Larsson further discloses wherein the mobile device is mobile telephone, handheld computer, laptop or pocket PC [FIG. 1].
- 26. Regarding claim 69, Larsson further discloses wherein in step (a), the transmitting takes place via a dialup connection or the Internet [abstract, accessing information on the internet].
- 27. Regarding claim 71, Larsson discloses computer program <u>product</u> for providing print data in communication networks, <u>the computer program product comprising a computer readable storage medium having a computer readable program embodied therein, the computer readable program comprising:</u>
- (a) means for transmitting from an end device to a data processing unit at least information necessary for accessing data or a file intended for printing, wherein the data processing unit is controlled by a computer program, wherein the end device is a mobile device [14 FIG. 6, col. 9, lines 52-56; 210 print service device FIG. 5, col. 8 line 57 through col. 9 line 2],

Art Unit: 2457

(b) means for opening the data or the file intended for output at its storage location [col. 9, lines 3-8],

- (c) means for starting a print job for issuing the data or the file, wherein the print job is based on requirements of the end device, and embedding the print file resulting from the print job in a hypertext page by writing the data of the print file in the hypertext page [col. 9, lines 8-51, the print file could be sent to an IP address of the communication device; col. 10 line 49 through col. 11 line 39, "a print request comprising a document address, given by the selected link" implies an embedded print file. Note that WAP uses a cut-down version of XHTML with end-to-end HTTP. This implies the print file is in a hypertext page], and
- (d) (i) means for transmitting the hypertext page containing the print file to the end device [col. 9, lines 43-47, a return address to the cellular telephone], or
- (ii) means for providing the hypertext page containing the print file for recall on a location in the communication network and transmitting to the end device information necessary for accessing the provided hypertext page at the location in the communication network [col. 10 line 59 through col. 11 line 7, WAP-page].
- 28. Regarding claim 72, Larsson further discloses wherein the hypertext page is a HTML or WML page [col. 10 line 49 through col. 11 line 39, Note that WAP uses a cutdown version of XHTML with end-to-end HTTP.].
- 29. Regarding claim 73, Larsson further discloses:

Art Unit: 2457

(e) means for recalling and issuing the hypertext page by the end device, or manually requesting the hypertext page [abstract, accessing information on the internet].

- 30. Regarding claim 75, Larsson further discloses wherein the mobile device is a mobile telephone, handheld computer, laptop or pocket PC [FIG. 1].
- 31. Regarding claim 77, Larsson further discloses wherein in (a), the transmitting takes place via a dialup connection or the Internet [abstract, accessing information on the internet].

## Claim Rejections - 35 USC § 103

- 32. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 33. Claims 24, 36, 44, 56, 70, and 78 are rejected under 35 U.S.C. 103(a) as being unpatentable over Larsson as applied to claim 17 above, and further in view of Christfort et al. (US 7,089,295 B2, hereinafter referred to as Christfort).
- 34. Regarding claim 24, Larsson discloses the claimed invention except for wherein in step (a), the transmitting takes place via SMS. However, Christfort teaches that WAP phones may connect to the Internet to access services over a wireless connection using an asynchronous protocol, such as the short message service (SMS) protocol [col. 13, lines 3 13]. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teaching of Christfort into Larsson's

Art Unit: 2457

method for the purpose of providing customers more ways of accessing the services by transmitting the request from the end device to the data processing unit via SMS, thereby more business for the service provider.

- 35. Regarding claim 36, Larsson discloses the claimed invention except for wherein in step (a), the transmitting takes place via SMS. However, Christfort teaches that WAP phones may connect to the Internet to access services over a wireless connection using an asynchronous protocol, such as the short message service (SMS) protocol [col. 13, lines 3 13]. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teaching of Christfort into Larsson's method for the purpose of providing customers more ways of accessing the services by transmitting the request from the end device to the data processing unit via SMS, thereby more business for the service provider.
- 36. Regarding claim 44, Larsson discloses the claimed invention except for wherein in step (a), the transmitting takes place via SMS. However, Christfort teaches that WAP phones may connect to the Internet to access services over a wireless connection using an asynchronous protocol, such as the short message service (SMS) protocol [col. 13, lines 3 13]. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teaching of Christfort into Larsson's method for the purpose of providing customers more ways of accessing the services by transmitting the request from the end device to the data processing unit via SMS, thereby more business for the service provider.

Art Unit: 2457

37. Regarding claim 56, Larsson discloses the claimed invention except for wherein in step (a), the transmitting takes place via SMS. However, Christfort teaches that WAP phones may connect to the Internet to access services over a wireless connection using an asynchronous protocol, such as the short message service (SMS) protocol [col. 13, lines 3 – 13]. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teaching of Christfort into Larsson's method for the purpose of providing customers more ways of accessing the services by transmitting the request from the end device to the data processing unit via SMS, thereby more business for the service provider.

- 38. Regarding claim 70, Larsson discloses the claimed invention except for wherein in step (a), the transmitting takes place via SMS. However, Christfort teaches that WAP phones may connect to the Internet to access services over a wireless connection using an asynchronous protocol, such as the short message service (SMS) protocol [col. 13, lines 3 13]. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teaching of Christfort into Larsson's method for the purpose of providing customers more ways of accessing the services by transmitting the request from the end device to the data processing unit via SMS, thereby more business for the service provider.
- 39. Regarding claim 78, Larsson discloses the claimed invention except for wherein in step (a), the transmitting takes place via SMS. However, Christfort teaches that WAP phones may connect to the Internet to access services over a wireless connection using an asynchronous protocol, such as the short message service (SMS) protocol [col. 13.

Art Unit: 2457

lines 3 - 13]. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teaching of Christfort into Larsson's method for the purpose of providing customers more ways of accessing the services by transmitting the request from the end device to the data processing unit via SMS, thereby more business for the service provider.

- 40. Claims 59-62 are rejected under 35 U.S.C. 103(a) as being unpatentable over Larsson as applied to claim 17 above, and further in view of Treptow et al. (US 2002/0138564 A1. hereinafter referred to as Treptow).
- 41. Regarding claim 59, Larsson discloses a method for providing output data or an output file in communication networks [FIGs. 5 and 6], comprising the steps of:
- (a) transmitting from an end device to a data processing unit at least one data source intended for printing, wherein the data processing unit is controlled by a computer program, wherein the end device is a mobile device [14 FIG. 6, col. 9, lines 52-56; 210 print service device FIG. 5, col. 8 line 57 through col. 9 line 21.
  - (b) opening the data source [col. 9, lines 3-8],
- (c) starting a print job for issuing the data source or converting the data source into a pre-specifiable format, wherein the print job is based on requirements of the end device [col. 9, lines 8-51, the print file could be sent to an IP address of the communication device; col. 10 line 49 through col. 11 line 39, "a print request comprising a document address, given by the selected link" implies an embedded print file. Note that WAP uses a cut-down version of XHTML with end-to-end HTTP. This implies the print file is in a hypertext pagel, and

Art Unit: 2457

(d) providing the print file resulting from the print job or the converted data source for recall an a location in the communication network and transmitting to the end device information necessary for accessing the provided print file or converted data source at the location in the communication network [col. 10 line 59 through col. 11 line 7, WAP-page].

Larsson discloses the claimed invention except for specifically indicating that the data source is an e-mail attachment. Treptow discloses e-mail attachments as data sources in a communication network that provides output data from data sources [para. 0039, 0068, 0083, and 0084]. It would have been obvious to a person with ordinary skill in the art at the time the invention was made to incorporate Treptow's teaching into Larsson's method for the purpose of supporting one of the most popular data sources by implementing e-mail attachments as data sources for outputting data or printing files, thereby providing a more user friendly and more efficient system.

- 42. Regarding claim 60, Treptow further discloses wherein the transmission in (d) is done by replying the e- mail with a reply e-mail having an attachment which contains the information necessary for accessing the provided print file or converted <u>output data or the converted output file</u> [para. 0084]. See motivation above.
- 43. Regarding claim 61, Larsson discloses a computer program <u>product</u> for providing output data or an output file in communication networks, <u>the computer program product comprising a computer readable storage medium having a computer readable program embodied therein, the computer readable program [FIGs. 5 and 6], comprising:</u>

Art Unit: 2457

(a) means for transmitting from an end device to a data processing unit at least one data source intended for printing, wherein the data processing unit is controlled by a computer program, wherein the end device is a mobile device [14 FIG. 6, col. 9, lines 52-56; 210 print service device FIG. 5, col. 8 line 57 through col. 9 line 2].

- (b) means for opening the data source [col. 9, lines 3-8],
- (c) means for starting a print job for issuing the data source or converting the data source into a pre-specifiable format, wherein the print job is based on requirements of the end device [col. 9, lines 8-51, the print file could be sent to an IP address of the communication device; col. 10 line 49 through col. 11 line 39, "a print request comprising a document address, given by the selected link" implies an embedded print file. Note that WAP uses a cut-down version of XHTML with end-to-end HTTP. This implies the print file is in a hypertext page], and
- (d) means for providing the print file resulting from the print job or the converted data source for recall an a location in the communication network and transmitting to the end device information necessary for accessing the provided print file or converted data source at the location in the communication network [col. 10 line 59 through col. 11 line 7, WAP-page].

Larsson discloses the claimed invention except for specifically indicating that the data source is an e-mail attachment. Treptow discloses e-mail attachments as data sources in a communication network that provides output data from data sources [para. 0039, 0068, 0083, and 0084]. It would have been obvious to a person with ordinary skill

Art Unit: 2457

in the art at the time the invention was made to incorporate Treptow's teaching into Larsson's method for the purpose of supporting one of the most popular data sources by implementing e-mail attachments as data sources for outputting data or printing files, thereby providing a more user friendly and more efficient system.

44. Regarding claim 62, Treptow further discloses means for realizing the transmission in (d) by replying the e-mail with a reply e-mail having an attachment which contains the information necessary for accessing the provided print file or converted output data or the converted output file [para. 0084]. See motivation above.

## Conclusion

**THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure:

Al-Kazily et al. (US 7,042,586 B2), has taught a network addressable device that has a universal remote interface assembly which is connected to a document storage assembly and a remote printer.

Turnbull (US 2002/0133626 A1), has taught a web content format for mobile device.

Examiner's Note: Examiner has cited particular columns and line numbers in the references applied to the claims above for the convenience of the applicant.

Although the specified citations are representative of the teachings of the art and are applied to specific limitations within the individual claim, other passages and figures may apply as well. It is respectfully requested from the applicant in preparing responses, to fully consider the references in entirety as potentially teaching all or part of the claimed invention, as well as the context of the passage as taught by the prior art or disclosed by the Examiner.

In the case of amending the claimed invention, Applicant is respectfully requested to indicate the portion(s) of the specification which dictate(s) the structure relied on for proper interpretation and also to verify and ascertain the metes and bounds of the claimed invention.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to MICHAEL C. LAI whose telephone number is (571)270-3236. The examiner can normally be reached on M-F 8:30 - 5:00 EST.

Art Unit: 2457

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ario Etienne can be reached on (571) 272-4001. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Michael C. Lai 10AUG2009

/YVES DALENCOURT/ Primary Examiner, Art Unit 2457